



E-CATALOG

1) Profile	-----	2
2) QC & Certificate	-----	3-9
3) Product& Line	-----	10-21
4) FAQ &Process	-----	22-23
5) Company Show	-----	24
6) Contact	-----	25

WWW.FITTINGFLANGE.COM

LangFang DingYang—Flange & Pipe Fitting

Company Profile



LFDY is a large supplier and manufacture of Stainless Steel and Carbon Steel Flanges, Pipe & Fittings primarily servicing the Oil, Gas, Petrochemical and Power Generation industries.

We produce and supply our products according to the most Strict management control system--ISO 9001. With more than 10 years experience we can offer considerable expertise and product knowledge which enabling us to meet the clients' requests.

We have our own factory and QC team, which offers us an ideal guarantee of the quick supply solutions, as well as best quality .



We are a comprehensive carbon and stainless steel material ranges in China .We are able to machine non-standard items on an urgent delivery basis and regularly dispatch these products on a same day service.

Our ISO 9001:2008 status as IQNET accredited supplier and manufacturer offers the reassurance that every order will maintain the high quality demanded by the industries we serve.

Quality Management



LFDY are a IQNET Quality Approved company in conformance with ISO 9001:2008. Our quality management system provides guidelines by which we measure our performances enabling us to continuously improve our processes.

The application of these principals allows us to provide the product quality and service that our customers deserve and expect. We are also regularly monitored and approved by companies within the market sectors that we serve.

As standard, all LFDY products are ISO 9001, TUV and 3.1 certified. LFDY also offers a range of mechanical and non destructive testing such as MPI, PMI, Ultra Sonic, Radiography, Hardness and DPI to client specification. Any other specified testing or certification requirements can be provided upon request.

Some of Our partner logo:



ISO



THE INTERNATIONAL CERTIFICATION NETWORK

CERTIFICATE

CQM as an IQNet Partner hereby states that the organization:

Langfang Dingyang Flange Pipe Fitting Co.,Ltd.

Certification Add.: 1-3-908, Zijincheng Commercial Building, Guangyang Zone, Langfang City, Hebei, P.R.China

Post code: 065000

for the following scope:

Supplying exportation of pipe fittings, flanges and valves, etc. steel products
has implemented and maintains a

Quality Management System

which fulfils the requirements of the following standard:

ISO 9001:2008

Issued on: 2017-02-23

First issued on: 2016-02-04

for the validity date, please refer to the original certificate issued by CQM*

Registration Number: CN-00216Q10947R0S



Michael Drechsel
President of IQNet

Ji XiaoDong
General Manager of CQM



IQNet Partners:**

AENOR Spain AFNOR Certification France Vincotte Belgium APCER Portugal CCC Cyprus
 CISQ Italy CQC China CQM China CQS Czech Republic Cro Cert Croatia DQS Holding GmbH Germany
 PCAV Brazil FONDONORMA Venezuela ICONTEC Colombia IMNC Mexico Inspecta Certification Finland INTECO Costa Rica
 IRAM Argentina JQA Japan KFQ Korea MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland PCBC Poland
 Quality Austria Austria RR Russia SIGE México SII Israel SIQ Slovenia SIRIM QAS International Malaysia
 SQS Switzerland SRAC Romania TEST St Petersburg Russia TSE Turkey YUQS Serbia
 IQNet is represented in the USA by: AFNOR Certification, CISQ, DQS Holding GmbH and NSAI Inc.

* This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document

** The list of IQNet partners is valid at the time of issue of this certificate. Updated information is available under www.iqnet-certification.com

SGS

Inspection Order No. : IN-BJ-5301-120099
 Boss No. : IN-BJ-5301-120099
 Page No. : 1 of 5
 Date of issue: Dec.01, 2016

INSPECTION REPORT
(non-negotiable)

- Description and Quantity of Commodity:

The goods was shown as follows:
 Elbow ASTM A234 WPB: 236pcs

- Name & Address Of Buyer:

- Name & Address Of Seller:

LANGFANG DINGYANG FLANGE PIPE FITTING CO.,LTD.

- Inspection Date & Place:

Nov.29, 2016 in Cangzhou city, China

- Contact No.:

N/A

- Nature Of Inspection:

Item	Comment
1. Dimension check for elbow randomly	Acceptable
2. Visual check for elbow randomly	Subject to client's evaluation
3. Marking check for elbow randomly	Subject to client's evaluation

- Inspector:

Daniel gao

Daniel Gao

This is to report that we, SGS-CSTC Standards Technical Services Co., Ltd. at the request of our client conducted the following inspection:

Instrument checklist

During the inspection, the following instrument calibration status has been checked for inspection:

No.	MEASURING INSTRUMENT DESCRIPTION	CALIBRATION STATUS	CERTIFICATE NO. (OPTIONAL)
1	Vernier Caliper	2016.03.29-2017.03.28	201607983
2	Thickness gauge	2016.05.04-2017.05.03	IN-TJ-QF-14

Disclaimer

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any other holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS-CSTC Standards Technical Services Co., Ltd.

A-16/F Century Yuhui Mansion, No.73 Fucheng Road, Beijing China,100142

T: +86 (0) 10 6845 6699 F: +86 (0) 10 6845 5838 www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)

BV

Industry & Facilities Division  INSPECTION REPORT N° INS/T-15/167-01	Page: 1/8 <input type="checkbox"/> Interim <input checked="" type="checkbox"/> Final
BV Job nr: INS/T-15/167	

PROJECT:	Ref: INS/T-15/167
BV Client:	<i>P/o nr: NA (client to BV)</i>
Manufacturer: Lang fang Ding yang Group Co.,Ltd	<i>P/o nr: NA (client to Manufacturer)</i>
Inspection requested by: BV	

SUPPLY / SUBJECT OF INSPECTION	ITEM / TAG Nr	QTY(pcs)
See the annex	/	/

DOCUMENTS OF REFERENCE : See continuation sheet for additional documents: Yes No

Title	Reference n°	Rev.	Approved by	Date
Circular flanges for pipes, valve and fittings	BS4504	/	BS	2009
Pipe Flanges and Flanged Fittings	ANSI B16.5	/	ANSI	2009

INSPECTIONS : Inspection place & Date or Period: Place: Mengcun county, Cangzhou city ,Hebei Province, China Date: Oct 9 th -10 th , 2015 Stage of inspection : <input type="checkbox"/> Before manufacturing <input type="checkbox"/> During manufacturing <input checked="" type="checkbox"/> Final <input type="checkbox"/> Packing Type of inspection: <input type="checkbox"/> Pre-inspection meeting <input checked="" type="checkbox"/> Document and QC record review <input checked="" type="checkbox"/> Visual examination, checks <input type="checkbox"/> Witnessing tests <input type="checkbox"/> Manufacturing progress status <input type="checkbox"/> Vendor assessment <input checked="" type="checkbox"/> Final inspection <input type="checkbox"/> Packing (for details see continuation sheet) Stamping: <input type="checkbox"/> No <input checked="" type="checkbox"/>  <input type="checkbox"/> 	Results of inspection : <input checked="" type="checkbox"/> Satisfactory <input type="checkbox"/> Unsatisfactory Non Conformities Reports (NCR): o NCR's issued during reported period : NA o List of outstanding NCR's : NA Main Conclusions & Remarks: BV inspector inspected the flanges. Final inspection result is satisfactory. (for more details, please refer to the inspection details hereinafter) Next visit scheduled: NA
---	--

HQTS

	INSPECTION REPORT Pre-shipment Inspection	Report No. : H-14051340
---	---	-------------------------

INSPECTION INFORMATION			
Client			
Supplier	LFANG FANG DING YANG GROUP CO.,LTD		
Factory	LANG FANG DING YANG GROUP CO.,LTD		
Inspection Instruction			
P.O. No.	140410/2P	Sampling Plan	ISO 2859: Single, Normal
Item No.	Refer to quantity table	Inspection Level	G-II
Inspection Date	2014.05.22~2014.05.23	Sample Size	80pcs
Inspection Location		AQL	Critical:0, Major:2.5 ,Minor:4.0
Product description	Pipe		



INSPECTION RESULT SUMMARY			
Category	Conform	Not Conform	Pending
1.Quantity	X		
2.Workmanship			X
3.Style, Color & Documentation	X		
4.Field Test & Measurement	X		
5.Shipping Mark & Packaging			X
OVERALL CONCLUSION	PENDING for client's evaluation		
Final Decision	Client has the final decision to reject or approve		

HQTS Inspector's Signature:	Factory Signature and Chop:
------------------------------------	------------------------------------

本草稿报告基于时间所限, 未经严格审核, 仅供参考。 在经本公司审核后, 将向客户出具正式报告, 正式报告可能与本草稿报告有所差异, 请以正式报告为准。
The final inspection result should be subject to the approval report by HQTS, while the draft report is only for your reference. A Final inspection report will be issued after verification and be sent to the client. The results stated in Draft report may change subject to verification by the technical department

3.1B CERTIFICATE

INSPECTION CERTIFICATE

検査証明書

Inspection Certificate to EN10204-3.1

MESSRS

注文主:

INVOICE NO: PO.NO.:3147

DATE: 2014-09-28

JOB NO

竣工番号:

PRODUCT: FLANGES

ORDER NO: PO.NO.:3147

品名:

Pages: 01/01

注文番号:

VISUAL INSPECTION
外观検査

DIMENSION INSPECTION
寸法検査

HEAT TREATMENT CONDITION
热处理

LIQUID PENETRANT EXAMINATION
浸透探伤试验

RADIOGRAPHIC EXAMINATION
放射线透过试验

GOOD
STANDARD OF RAW MATERIAL
材料规格

Normalizing 900°C ± 10°C, 3h
A105N

GOOD

GOOD

CHEMICAL COMPOSITION (化学成分%)

SIZE OF FLANGE 法兰规格	QTY 数量	C	SI	Mn	S	P	MECHANICAL PROPERTIES (机械的性质)			
300# BL RF 2"	253	0.20	0.25	0.62	0.009	0.013	YIELD STRENGTH 耐力 (N/mm ²)	TENSILE STRENGTH 引張り強さ (N/mm ²)	ELONGATION 伸び (%)	REDUCTION L 伸び (%)
300# WN RF XS SP5.54 2"	842	0.20	0.25	0.62	0.009	0.013	315	522	27.0	46
300# WN RF S40 SP7.11 6"	187	0.21	0.27	0.64	0.008	0.011	143	520	27.0	41

SIZE OF FLANGE 法兰规格	HARDNESS ブリネル (HBS)	YIELD STRENGTH 耐力 (N/mm ²)	TENSILE STRENGTH 引張り強さ (N/mm ²)	ELONGATION 伸び (%)	REDUCTION L 伸び (%)
300# BL RF 2"	143	315	522	27.0	46
300# WN RF XS SP5.54 2"	143	315	522	27.0	46
300# WN RF S40 SP7.11 6"	145	316	520	27.0	41

HEAT NO. (溶解番号) 7092

WE HEREBY CERTIFY THAT THE ABOVE RESULTS ARE TRUE AND CORRECT IN EVERY DETAIL.

上記の成績は要求事項を満足していることを証明します

CHIEF INSPECTOR

検査責任者


QUALITY CONTROL



FLANGES



Details:



Black painting




Screw thread



Pallet packing



Typed marking



Spiral line



Case packing


FLANGE

Processing Technology	FORGED , CASTING , PLATE		
Type	WELD NECK (WN) , SLIP ON (SO) , PLATE (PL) , BLIND (BL) , THREAD (TH) ETC.		
Size	3/8' ' - 88' ' OR LARGER		
Pressure	ANSI/BS 150# - 2500#, DIN PN6 - PN400, API 5000 psi - 25000 psi		
Material	ASTM SA/A105 N	F304/304L	F316/316L
	C22. 8	A182F5. . . F91	316TI
	P245GH	ASTM A350LF	A694F
	P265GH	P250GH (1. 0460)	RST 37. 2
	S235JR	20#	SF390A/440A
	SS400	W. Nr. 1. 4501/1. 4547	UNS S32750/32760
Standard	ANSI B16. 5	UNI	BS 10
	KS & JIS	EN 1092-1	GOST 12820
	DIN	BS 4504	GOST 12821
	AS	NS	SABS 1123
	ISO	GB	VSM
	MSS SP44	AWWA C207	ANSI B16. 47
	API 605	NFE 29203	API 6A
Surface	BLACK PAINT COATING OR BLUE , GOLD PAINTING ETC.		
	VARNISH PAINT COATING, VARNISH OIL COATING,		
	ELECTRO/COLD GALVANIZING COATING (GOLDEN OR SILVERY WHITE, COATING THICKNESS 20~30MM)		
	HOT DIP GALVANIZING COATING (COATING THICKNESS 200MM AROUND)		
Delivery Time	7~30DAYS UPON YOUR REQUESTS		
Packing	PLYWOOD PALLET, PLYWOOD CASE, UPON YOUR REQUESTS		
Inspection & Certification	CERTIFICATION: ISO, API, PED, CE, TUV DIN ETC.		
	MILL TEST CERTIFICATE: EN10204/3. 1B, ETC. .		
	FACTORY IN-HOUSE OR THIRD PARTY INSPECTION ETC.		
Payment Term	T/T, SIGHT L/C, USANCE L/C ETC.		

BW FITTINGS



Details:



BW FITTINGS

Products	Elbow, Bend, Equal /reducing Tee, Con/Ecc Reducer, Cap, lap joint, SADDLE		
Size	Seamless (SMLS) Elbows: 1/2"-24" , DN15-DN600 Welded Elbows (seam): 24" -72", DN600-DN1800		
Type	LR 30, 45, 60, 90, 180 degree SR 30, 45, 60, 90, 180 degree 1. OD, 1. 5D, 2. OD, 2. 5D, 3D, 4D, 5D, 6D, 7D-40D.		
Thickness	SCH10, SCH20, SCH30, STD SCH40, SCH60, XS, SCH80, SCH100, SCH120, SCH140, SCH160, XXS		
Standard	ASME, ANSI B16.9; DIN2605, 2615, 2616, 2617, JIS B2311, 2312, 2313, SGP GOST 17375, 17376, 17378 , 30753 EN 10253-1 , EN 10253-2		
Material	ASTM	Carbon steel (ASTM A234WPB, A234WPC, A420WPL6.	
		Stainless steel (ASTM A403 WP304, 304L, 316, 316L, 321. 1Cr18Ni9Ti, 00Cr19Ni10, 00Cr17Ni14Mo2, etc.)	
		Alloy Steel: A234WP12, A234WP11, A234WP22, A234WP5, A420WPL6, A420WPL3	
	DIN	Carbon steel: St37.0, St35.8, St45.8	
		Stainless steel: 1.4301, 1.4306, 1.4401, 1.4571	
		Alloy steel: 1.7335, 1.7380, 1.0488 (1.0566)	
	JIS	Carbon steel: PG370, PT410	
		Stainless steel: SUS304, SUS304L, SUS316, SUS316L, SUS321	
		Alloy steel: PA22, PA23, PA24, PA25, PL380	
	GB	10#, 20#, 20G, 23g, 20R, Q235, 16Mn, 16MnR, 1Cr5Mo, 12CrMo, 12CrMoG, 12Cr1Mo	
	Surface	Transparent oil, rust-proof black oil or galvanized	
	Packing	In wooded cases or pallets, or as for clients' requirements	
Delivery time	7 ~ 30 UPON YOUR REQUESTS		
Inspection & Certification	CERTIFICATION: ISO, API, PED, CE, TUV DIN ETC		
	MILL TEST CERTIFICATE: EN10204/3.1B, ETC..		
	FACTORY IN-HOUSE OR THIRD PARTY INSPECTION ETC.		
PAYMENT TERM	T/T, SIGHT L/C, USANCE L/C ETC.		

CRANE & RAIL WHEEL



Process	Forged casting
Application:	Railway , train , crane, trolley,transfer car,heavy duty industry etc
Material:	42CrMo4,ER8,ER7,ER9,AISI8620,Q345B/C/D,316L, 304, C45, C50, C55, C60, 4330, C35,65Mn,4140, 42CrMoA,SSW,SSW-Q1,SSW-Q1R,SSWQ1R,SSW-Q3R,SSWQ3R,4140,42CrMo, 42CrMo Steel,42CrMo Alloy Steel,40CrNiMoA,40CrNiMo,4340,34CrNiMo6,40NiCrMo7, 35SiMn,50SiMn,65Mn,50Mn,55Mn,20CrMnTi,20CrMnMo,ZG310-570,ZG270-500 (according to client's requirement)
Diameter	Φ 200—6000mm
Quality Control:	UT,MT,RT,PT,chemical composition test,mechanical property test,etc.
3) Heat treatment:	annealing,normalizing,quenching and rim quench depth: 5-20mm
Measuring & testing	Projecting profile, roughness tester, hardness tester, concentricity tester ect, UT ultrasonic detecting instrument
Delivery Time:	10~45 days after confirmation.
Packing	Seaworthy plywood packaged on steel pallets or as customer's request


FORGED & CASTING FITTINGS



Details:



Typed marking



Socket machining



Threaded machining



Box packing



Pallet packing



Case packing

FORGED & CASTING FITTINGS

Products	ELBOW, TEE, COUPLING, CAP, PLUG, BUSHING, UNION,
	OUTLET, SWAGE NIPPLE, HEX NIPPLE, BSRREL NIPPLE. ETC.
Size	SOCKET , THREADED (ISO7/1 (BSP/DIN2999) ;NPT; BSPT; ISO228),
	NPS 1/8"-4"; DN6-100
Pressure	THREADED END -150LBS/2000/3000/6000LBS.
	SOCKET-WELD END -3000/6000/9000/LBS.
Standard	SME B16. 11, MSS SP- 79, 83, 95, 97and BS3799. JIS B2316 , ISO4144
Material	Carbon Steel:ASTM A105, A350LF2, LF3
	Stainless Steel:ASTM A182 F304/304L, F316/316L, , F321/321H, F347/347H
	Super Stainless Steel:ASTM A182 F904L, F317 ,F317L
	Low Alloy Steel:ASTM A182F11, F22, F91, F5, F9
	Pipeline steel: ASTM A694 F42, F46, F48, F50, F52, F56, F60, F65, F70, F80
	Duplex:A182 F51, F53, F44
Marking	A. CARBON and ALLOY STEEL:MARKED BY STAMPING.
	B. STAINLESS STEEL:MARKED BY ELECTRO-ETCHED, JET PRINTED or STAMPING.
	C. 3/8"UNDER:BRAND ONLY.
	D. 1/2"to 4":MARKED WITH BRAND, MATERIAL, HEAD CODE, B16(FOR ASME B16. 11PRODUCT), RATING AND SIZE.
	E:AS THE REQUIREMENT of CUSTOMER.
Delivery Time	7~50DAYS UPON YOUR REQUESTS
Packing	PLYWOOD PALLET, PLYWOOD CASE, UPON YOUR REQUESTS
Inspection & Certification	CERTIFICATION: ISO, API, PED, CE, TUV DIN ETC.
	MILL TEST CERTIFICATE: EN10204/3.1B, ETC. .
	FACTORY IN-HOUSE OR THIRD PARTY INSPECTION ETC.
Payment Term	T/T, SIGHT L/C, USANCE L/C ETC.
Application	PETROLEUM CHEMICAL, REFINERY, PHARMACY INDUSTRY, FOOD & BEVERAGE INDUSTRY, SEA WATER DESALINATION, PAPER MAKING, SHIPBUILDING INDUSTRY, ELECTRIC POWER, OFFSHORE & ONSHORE OIL&GAS, MINING INDUSTRY, WATER TREATMENT, MECHANICAL MAKING, CHEMICAL FERTILIZER ETC.
SPECIAL DESIGN AVAILABLE AS THE REQUIREMENT OF CUSTOMER	

NIPPLE




Details:

Size	1/8" to 6"
Thickness	Standard or as request
Standard	ASTM A733, DIN2982, BS1387, JIS B2302
Material	Carbon steel 20#, Q235, ST 37. 2
	Stainless steel: SS304/304L/316/316L/321
Surface	Black, Hot galvanized, Electro galvanized
Length	Standard or as request
Packing	Cartons with pallet
Surface	Black, Hot galvanized, Electro galvanized
End	Single end thread, Both equal thread, Long-short thread,
	King nipple, Close, and special as customer' s request.

PIPES



CS Seamless pipe



CS Welded pipe



SS & Gavl pipe

Details:



Beveled end



Type marking



Black painting



Bundiespacking



Bag packing



Case packing

PIPES

Size	OD: 1/2 "-72"
Thickness	SCH10-SCH160
Standard	API 5L, A106, A53, A335, DIN1629, DIN2448, NF A49, GOST8731, JIS G3454, BS1387 ETC. ASTM A554, ASTM A312 ETC.
Material	API 5 CT/ Q345/ ST42/ST37/ ST52. Q195/Q215/Q235/A179 etc. ASTM A106 GRB/ A53 GRB/ API 5L X42, X52, X60, X65, X70GRB/ etc. 201, 202, 304, 316, 316L, 430 etc.
Surface	Black painting/coating, black rust-proof oil, hot galvanizing, 3PE, HDPE Mirror, Satin, Hairline, Bright
Length	5.8 ~ 12.0 m or upon customers' requirements
Packing shipment	in bulk / bundles / nylon fabric bags with seaworthy packing; or according to customers' requestments. by container or by breakbulk vessel
Capacity	150,000 tons/year
Main products	1. Seamless Steel Pipe 2. Straight Seam Welded steel pipe (ERW/LSAW) 3. Spiral Welded Steel Pipe (SSAW) 4. Galvanized Steel Pipe 5. PE Coating Steel Pipe 6. Stainless steel pipe
Minimum quantity	3 tons
Delivery time	7 ~ 30 UPON YOUR REQUESTS
Inspection & Certification	CERTIFICATION: ISO, API, PED, CE, TUV DIN ETC MILL TEST CERTIFICATE: EN10204/3.1B, ETC. .
	FACTORY IN-HOUSE OR THIRD PARTY INSPECTION ETC.
Payment Term	T/T, SIGHT L/C, USANCE L/C ETC.

OTHER PRODUCTS

Malleable iron fitting



Valve



Sanitary fitting



Forged parts



PRODUCT LINE



FAQ

- 1) Q: What's your main product? Which kinds of products are more competitive in your product range?**

A: Our main products are steel flanges, pipe fittings and steel pipes.
Competitive Items: flanges in stainless steel, carbon steel, alloy steel and punching carbon steel
Butt welded pipe fittings in stainless and carbon steel
Threaded NPT pipe fittings in stainless and carbon steel
Malleable Iron, Stainless and carbon steel pipes
- 2) Q: Are you trader or factory?**

A: we have our own flange and fitting factory. We could provide the original MTC for our clients' needs.
- 3) Q: How many is your MOQ? What's your payment term?**

A: Generally speaking, we don't have MOQ. Our price depends on the specific quantity. (The larger the quantity is, the better price will be.)
Our common payment term is TT or L/C at sight, we could also discuss it accordingly.
- 4) Q: what's your largest size of flange and fitting? How long is the production cycle?**

A: The largest flange we could produce is 88" and the largest fitting is 72". In general, we spend 20-25 days in a 20-ton order. If necessary, we could make it shorter.
- 5) Q: Could you produce according to the drawings?**


A: Sure. We could produce according to the provided drawings, which include forged and casted items.
- 6) Q: Could you provide samples?**

A: Sure. We could send you free samples, while the freight will be paid by the clients. Any needs, contact us freely.
- 7) Q: What kind of certificates do you have?**

A: We have ISO, TUV, API, SGS, BV etc.
- 8) Q: How do you guarantee the quality of your products?**

A: We have our own QC Dept. They will check and record every step of order which is under production. We couldn't deliver the goods without the permission of our QC Dept. And in order to improve service to our clients, our sales person also record the quality feedback of our clients. All the above, we work through ERP system more detailed working process, pls kindly check the "Order Flow Chart" next page.

ORDER PROCESS



COMPANY SHOW



CONTACT

LANG FANG DING YANG FLANGE PIPE FITTING CO.,LTD

**ADD: ROOM1-3-908 ZIJINCHENG COMMERCIAL BUILDING, GUANGYANG
DISTRICT, LANGFANG CITY,HEBEI PROVINCE,CHINA**

TEL:0086-316-5120812 FAX:0086-316-5905028

WEBSITE:WWW.FITTINGFLANGE.COM

EMAIL: INFO@CSFITTING.NET

INFO@FITTINGFLANG.COM

CONTACT: Miss Helen

WELCOME TO LFDY